


# USE OF INSEMINATION DATA IN CATTLE BREEDING; SOME EXPERIENCES FROM IRELAND.

A. Cromie, F. Kearney, R Evans, D Berry, D Wilhelmus.

ICAR/Interbull Meeting.
36th ICAR Session, Niagara Falls, United States
16-20th June.



Use insemination data to try and avoid this!

#### **Overview**

- Background Irish Cattle Breeding.
- Use of Insemination data;
  - 1. Collection of insemination data.
  - 2. Use of insemination data in ICBF genetic evaluations.
  - 3. Use of insemination data as a support tool in decision making.
- · Comments/discussion.

### ICBF - Background

- Formally established in 2000
- 4 key functions;
  - 1. Leadership/direction.
  - 2. Central Database (Animal Events)
  - 3. Genetic Evaluations (e.g., EBI)
  - 4. Breeding scheme (G€N€ IR€LAND).

#### MEMBERS AND BOARD OF ICBF

AI

2 - Kerry

5 Dovea Al


3 - SWS

2 Kerry

3 SWS

9 IFA

10 ICMSA



Angus 13

Aubrac 14

Charolais 16 Hereford 17

Limousin 18

Jersey 24


Kerry 25

Rotbunt 28

Saler 29

ICBF 30

**MRI 26** 



#### Use of Insemination Data

- 1. Collection of insemination data.
- 2. Use of insemination data in ICBF genetic evaluations.
- 3. Use of insemination data as a support tool in decision making.


#### 1. Collection of Insemination Data



# 1. Collection of Insemination Data

- i. Trends in recording
- ii. Technician recording of AI data
- iii. Farmer recording of Al data
- iv. Future plans

### i. Trends in Recording



- >100% increase in AI recording.
- ~40% of total AI events in 2007 (& 70% in 2008)

### ii. Technician Recording

- AI handheld technology
  - Itronix handheld
  - Linked to database (GPRS).
  - All cows on hand-held.
  - Docket printed on-farm.
  - 240 now in operation (90%)
- Major benefits.
  - Inbreeding & lethal gene check.
  - Farmer support;
    - · Sire Advice.
    - · Fertility management
  - Al Company support;
    - · No dockets!
    - · Fertility management.
    - Invoicing & stock control



# iii. Farmer recording of Al data

- 157k 63% Farm PC, 9% sheets & 28% via ICBF website
- Web-based recording New for 2007
  - Breeding charts for on-farm recording (during season)
  - Web-based recording (end of season).
  - Farmers can also record "as events happen".
- · Link to Fertility management reports.

### ICBF Breeding Chart



#### Dairy Herd Breeding Chart

PAT CRONIN

Year 2008



Cow Details						Proposed Bulls			Service Information													
Cow Tag	Cow FB	EBI	Milk (E)	Fert			Lact No.	Date Calved	Calv Ease	 Bull 1	Bull 2	Bull 3	PreServe Heat	Fin	st	Sec	ond	Thi	rd	Fou	rth	Preg Test Result
		(E)	(=)	(E)		Sire							Date	Date	Bull	Date	Bull	Date	Bull	Date	Bull	Result
IEFFTZ0054R	54	120	47	56	MAU		9	26-MAR-08	1	BWZ	RDU	GIO										
IEFFTZ0055P	55	94	20	59	LEW	OMR	9	16-MAR-08	1	BWZ	CZO	CBH										
IEFFTZ0068E	68	121	43	64	MAU	RSG	8			BWZ	RDU	GIO										
IEFFTZ0090M	90	93	59	19	JOS	KEM	9	01-MAR-08	2	WUZ	BWZ	CBH										
IE141763820127	127	138	45	76	LEW	WYT	7			BWZ	CZO	RDU										
IE141763880157	157	116	53	44	LEW	ARN	6			BWZ	CBH	WUZ										
IE141763860188	188	107	16	76	MAU	RSG	7	19-FEB-08	2	czo	RDU	BWZ										
IE141763810217	217	84	13	71	AHD	ARN	5	12-FEB-08	1	CZO	RDU	GIO										
IE14176383021	219	80	37	51	AHD	ARN	6	05-FEB-08	1	RDU	CZO	GIO										


Animal ID, Ancestry & EBI, calving data **Suggested Matings** 


Record Serves.

Printed A3 "card-board" and put on the wall of the dairy/office

NID IE1417638








#### iv. Future Plans

- Complete roll-out of handhold technology.
  - ~80% of serves.
- Further develop web-based systems
- PDA's & Mobile phones.
- Key driver of uptake is simple recording systems & good information for farmers/industry.



## 2. Use of Insemination Data in Genetic Evals.

#### Current;

- Data edits for female fertility.
- Genetic Evaluation of Gestation Length.

#### Future;

- Gestation Length Improvements
- Other Fertility Traits
- Validation of Sire Births.

### (i) Data edits for fertility


- Female fertility is a trait of major economic importance in Ireland (24% relative weighting in EBI).
- CI Days evaluated on basis of 300-600 days (& 600 days set to missing).
- Poor fertility bulls over-evaluated?
- Use insemination data to identify cows where an "attempt" to breed has been made.

### (i) Data edits for fertility

Parity	1	2	3
Old Eval (Nov 07)	805,762	649,783	502,161
New Eval (Nov 07)	834,794	671,959	517,301
Difference	29,032	22,176	15,140

- 3% more records.
- Correlation = 0.93.
- Poor fertility bulls penalised most.

### (i) Data edits for fertility



PTA new data (800 days)

# (ii) Genetic Evaluation of Gestation Length (direct)

<b>Breed of Al Sire</b>	No. Sires	Raw	Genetic Data		
	<b>Evaluated</b>	Mean	Mean	St Dev	
Holstein	1,796	281.9	-1.0	0.98	
Friesian	242	281.5	-1.5	1.07	
Limousin	166	289.6	3.6	0.98	
Charolais	153	288.5	2.3	0.89	
Belgian Blue	131	284.6	-0.3	0.94	
Angus	121	283.8	-0.3	0.87	
Hereford	119	286.4	0.8	0.91	
Simmental	95	288.5	2.3	0.93	
Montbelliarde	93	286.9	1.4	1.03	

### (i) Future; Gestation Length

	1 <sup>st</sup> Parity (Direct)	Later Parity (Direct)		Later Parity (Maternal)
1 <sup>st</sup> Parity (Direct)	0.36	0.74	0.01	-0.03
Later Parity (Direct)		0.44	0.03	-0.24
1 <sup>st</sup> Parity (Maternal)			0.04	0.89
Later Parity (Maternal)				0.08

- High heritability (dir=.40, mat=0.06)
- High correlations between parities
- No correlation between direct & maternal.
- Multi-trait calving evaluation for Gestation Length, Calving Difficulty & Calf Mortality.

## (ii) Future; New Fertility Traits

	Number of		
Trait	records	Mean	h2
Calving to 1st Service	45,370	83.16	0.0579 (0.0105)
Calving Interval	55,910	395.4	0.0187 (0.0054)
Submission Rate (21d)	36,224		0.0160 (0.0057)
Number serves	45,370	1.535	0.0120 (0.0044)
Pregnant to first service	29,656		0.0082 (0.0052)
Pregnacy rate (42 days)	29,646	0.6233	0.0355 (0.0096)

- Range of new fertility traits being examined using insemination data.
- Calving to 1<sup>st</sup> service promising.
- Currently looking at correlations with goal traits (CI Days) as an early predictor trait.

# (iii) Future; Validation of Sire ID (insem vs. birth)

Month of	Number of	Number of	Error	
Insemination	insemination &	sire errors	rate	
	birth records*			
Apr	17,341	488	2.8%	
Apr May Jun	25,102	1,769	7.0%	
Jun	6,192	914	14.8%	

<sup>\*</sup> Within 280-290 days

- 6% errors between sire identified at birth & insemination record.
- Increases with season (stock bulls)
- What to do next?

#### 3. Use of Insemination Data in Decision Support




# 3. Use of Insemination Data as a Support Tool

- Farmers;
  - Farm fertility management reports
  - Sire Advice Information
- Al Companies;
  - Al Management Information
  - Invoicing & semen stock.
- Future Plans.

### Farmer Fertility Reports

- Range of reports
  - During season (3 weeks, 6 weeks & 9 weeks)
  - End of breeding season.
- Key performance statistics & Action Lists for cows.
- Available by web or paper.

### Fertility Reports; 3 weeks



## Fertility Reports; Problem Cows

#### 4. Action List

#### Do not return this sheet to the Animal Events office.


The following cows may have reproductive problems and should be investigated further. Note that this list may include cows to be culled.

Cows not yet submitted for service that have calved greater than 30 days.

FB	Cow ID	Lactation	Calving Date	Days in Milk	Problems/Treatments
68	IEFFTZ0068E	9	22/04/2008	39 days	
264	IE141763880264	5	01/04/2008	60 days	
267	IE141763820267	5	28/03/2008	64 days	
478	IE141763870478	1	11/04/2008	50 days	
483	IE141763840483	1	15/02/2008	106 days	


### Fertility Reports; End of Season

Calving		Mating Mating period			
Calving period					
Start	29/01/2007	Mating Start Date (MSD)	20/04/2007		
Median	16/02/2007	Finish/Last serve	16/08/2007		
Finish/Last calving	30/04/2007	Length breeding season	16 weeks 6 days		
Related events		Cows calved and served	49		
Total cows calved during the calving period	49	Number of serves	91		
Calving interval (days)	371 days	Cows confirmed pregnant	44		
% cows calved by 6 weeks	74%				




Farmer friendly reports for end of breeding season.

# Fertility Reports; End of Season



### Sire Advice for Farmers

- Run by farmer, AI company or "default.
  - Max EBI, min inbreeding, min cost of semen
- · All bulls & breeds.
- Allocated to cows.
- Bull selection saved loaded to Al handheld + included on breeding chart.
- Completing the loop;
  - Cow calves.....Genetic evaluation....Sire
     Advice.....Information to farmers....Recorded insemination.....Due Calving....Cow calves....



### Al Management Information

- Fertility management reports
  - Bull, technician, region.
- Semen invoicing & stock control
  - No "docket processing" real-time information.
  - Timely invoicing.
  - Better stock control management
- · Better for AI company & farmers.

### Al Management Data – Future Plans

- More reports for Al companies.
- Getting reports back to farmers;
  - 3 weeks, 6 weeks, 9 weeks....but paper based?
  - Key performance indicators & SMS text messaging.
- ICBF Active Bull List.
  - Availability of AI bulls.

### Summary

- Insemination data is a key component of effective breeding.
  - Cow calves.....Genetic evaluation....Sire
     Advice.....Information to farmers....Recorded insemination....Due Calving....Cow calves....
- ICBF; 2-pronged strategy;
  - Better data collection (handhelds & web)
  - Better reports (high value & timely)
- Results in better data for genetic evaluation.
- More profit for Irish farmers (€)



Thank You.